Represention Representation 610 Binz Bldg. Commerce

Modernize with Southwest

610 Bis Bldg. Keep it modern to be it west Keep it modern to build profits."





WHITE-TUCKER CO. Factory Representatives HOUSTON 610 Binz Bldg. DALLAS 2701 Main St

General Specifications

COMPUTER:

Records and indicates simultaneously both gallons and fractions of a gallon and the amount in dollars and cents. Synchronized price control on both sides of pump. Computes at price posted. Bell ringing attachment indicates each gallon as delivered. Interlocked so that pump cannot be operated until computer is turned back to zero after each sale.

METER:

Piston type—accurate at any rate of flow and at any pressure.

AIR SEPARATOR AND PRESSURE

RELIEF: Built into meter. No return line to tank necessary.

PUMP: Viking rotary type with built in strainer and by-pass.

MOTOR: Explosion resisting 1/3 h. p., 110-220 volt, 1 phase, 60 cycle, with built-in switch.

ELECTRICAL

WIRING: All rigid conduit and explosion resisting conduit boxes.

BRILLIANTLY

LIGHTED: Individual lights directly over each meter dial.

METER BEZEL: Brass-chrome plated.

HOSE: Ten feet 3/4" standard gasoline hose.

NOZZLE: Two speed non-chatter type.

PUMP GLOBE

HOLDER: Furnished with each pump. Can be attached quickly.

Finished in baked on enamel and complete with hose and nozzle valve. STANDARD Foot valve or angle check valve at small extra cost.

MODEL:

UNDERWRITERS'

LABEL:

All Southwest pumps bear the Underwriters' Label.

Standard Models

Complete as shown except without synchronized price control. Cut 612-C

Complete as shown with synchronized price control. Cut 612-CS

Display Panel Models

DISPLAY PANEL brilliantly lighted with individual lights. Size 121/2" wide x 24" high x 3" deep with 3 plate glass adjustable shelves. Can be furnished on one or both sides.

Standard cut 612-C with display panel on one side. Cut 612-CP Standard cut 612-C with display panel on two sides. Cut 612-CP-2 Standard cut 612-CS with display panel on one side. Cut 612-CS-P Standard cut 612-CS with display panel on two sides. Cut 612-CSP-2

> ELECTRICAL FLASHER for display panel can be furnished on any of above models at an additional cost.

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of: Mike Jackson, FAIA